## **VARIANCE / FIELD CHANGE NOTICE**

Significant? (Yes or No): **NO** 

V/F: 21130-PSP-0003-1

WBS NO.: PROJECT/DOCUMENT/ECDC # 21130-PSP-0003 Rev.0

Page: 1 of 1 52 7 1

PROJECT TITLE: Project Specific Plan for Area 9, Phase H Certification Sampling

Date: 9/5/03

VARIANCE / FIELD CHANGE NOTICE (Include justification):

This Variance/Field Change Notice (V/FCN) documents the submittal of previously collected archive samples from CU A9P2-C6 for beryllium analysis (TAL I, see below). The four samples shall be submitted to an offsite laboratory with a MDL of 0.062 mg/kg. The required turnaround time is 24 hours (for Certificates of Analysis). A full data package is to follow within 5 days of sample receipt.

Samples submitted under this V/FCN will be analyzed to ASL D requirements. Field validation is required. Analytical data validation is required to VSL B.

## 21130-PSP-0003-I (ASL D)

Analyte	Off-Property FRL	MDL	
Beryllium	0.62 mg/kg	0.062 mg/kg	

## Justification:

Statistical analysis (a posteriori test) of beryllium results from planned samples in A9PII CU 6 indicate that additional samples are needed for this CU.

REQUESTED BY: Denise Arico				Date: 9/5/03				
IF EQD	VARIANCE/FCN APPROVAL	DATE	X IF REQD	VARIANCE/FCN APPROVAL		DATE		
	QUALITY DE GRANCE:	11-17-03	х	PROJECT MANAGER: J.	Sh-Dili	11/17/03		
	DATA QUALITY MANAGEMENT		х	CHARACTERIZATION	MANAGER F. Miller  Manager F. Miller  Manager F. Miller	11/1903		
	Walytical customer support:  OCH COLY	11/20/03		RTIMP Manager				
	Lender Barbon	11/26/03	х	Sampling Manager: Towl	irland L	11/12/03		
VARIANCE/FCN APPROVED [X]YES []NO			REVISION REQUIRED: []YES [x]NO					
DISTRIBUTION								
PROJECT MANAGER: DOCU Rosser			MENT CONTROL: Jeannie		OTHER:			
DUALITY ASSURANCE:		CHARACTERIZA Frank Miller	TERIZATION MANAGER: er		OTHER:			
TELD MANAGER: OTHER		OTHER:			OTHER:			